

**To:** CN=Dominic Digiulio/OU=ADA/O=USEPA/C=US@EPA[]  
**Cc:** CN=Ayn Schmit/OU=R8/O=USEPA/C=US@EPA;CN=Rick Wilkin/OU=ADA/O=USEPA/C=US@EPA[]; N=Rick Wilkin/OU=ADA/O=USEPA/C=US@EPA[]  
**From:** CN=Richard Mylott/OU=R8/O=USEPA/C=US  
**Sent:** Thur 7/26/2012 4:31:24 PM  
**Subject:** Re: Fw: Pavillion monitoring wells

Busy, but I think I can make 1. Will come to your office.

Richard Mylott  
Public Affairs Specialist  
Office of Communications and Public Involvement  
U.S. Environmental Protection Agency, Region 8  
Phone: 303-312-6654

**From:** Dominic Digiulio/ADA/USEPA/US  
**To:** Ayn Schmit/R8/USEPA/US@EPA  
**Cc:** Richard Mylott/R8/USEPA/US@EPA, Rick Wilkin/ADA/USEPA/US@EPA  
**Date:** 07/26/2012 10:29 AM  
**Subject:** Re: Fw: Pavillion monitoring wells

okay

Dominic C. DiGiulio, Ph.D.  
U.S. Environmental Protection Agency  
Office of Research and Development  
National Risk Management Research Laboratory  
Ground Water and Ecosystem Restoration Division  
919 Kerr Research Drive  
Ada, Oklahoma 74820

580-436-8605 (phone)  
580-436-8614 (fax)  
580-583-7329 (mobile)

**From:** Ayn Schmit/R8/USEPA/US  
**To:** Dominic Digiulio/ADA/USEPA/US@EPA  
**Cc:** Richard Mylott/R8/USEPA/US@EPA  
**Date:** 07/26/2012 10:54 AM  
**Subject:** Fw: Pavillion monitoring wells

We should discuss how to respond to this. Can you both talk around 1 MDT?

Ayn E. Schmit  
Water Policy Advisor

(PH) 303-312-6220 (FAX) 303-312-7150

EPA Region 8  
1595 Wynkoop Street  
Denver, Colorado 80202-1129  
schmit.ayn@epa.gov

----- Forwarded by Ayn Schmit/R8/USEPA/US on 07/26/2012 09:36 AM -----

From: Richard Mylott/R8/USEPA/US  
To: Gregory Oberley/R8/USEPA/US@EPA, Ayn Schmit/R8/USEPA/US@EPA  
Date: 07/26/2012 08:59 AM  
Subject: Fw: Pavillion monitoring wells

Hi! Question from WyoFile reporter.

Richard Mylott  
Public Affairs Specialist  
Office of Communications and Public Involvement  
U.S. Environmental Protection Agency, Region 8  
Phone: 303-312-6654

----- Forwarded by Richard Mylott/R8/USEPA/US on 07/26/2012 08:58 AM -----

From: Dustin Bleizeffer <dustin@wyofile.com>  
To: Richard Mylott/R8/USEPA/US@EPA  
Date: 07/26/2012 08:43 AM  
Subject: Pavillion monitoring wells  
Sent by: dustinbleizeffer@gmail.com

Hi Richard,

I just want to check with you to see whether the EPA monitoring wells in Pavillion are constructed out of stainless steel tubing or regular iron tubing? There were a lot of side conversations about that at the working group meeting on Tuesday.

Thanks  
— Dustin

--

WyoFile: In-depth reporting about Wyoming people, places & policy  
Dustin Bleizeffer, editor-in-chief // 307-577-6069 // dustin@wyofile.com